













## SIR PRATEEK JAIN



- IIT JEE & NEET Faculty ( KOTA)
- Top Physics Faculty on Unacademy.
- 8+ years of teaching experience
- Research work with HC Verma sir at IIT Kanpur
- Produced ranks like AIR 6, AIR 10 etc.

← **Top Educators**  
NEET UG • Watch mins (last 30 days)

-  **Prateek Jain**  
10.9M mins [Follow](#)
-  **Dr Amit Gupta**  
5.4M mins [Follow](#)
-  **Shubh Karan choudha...**  
8M mins [Follow](#)
-  **Ramesh Sharda** ✓  
6.4M mins [Follow](#)
-  **Ajay Mishra (AKM)**  
7M mins [Follow](#)
-  **Dr S K Singh**  
11.8M mins [Follow](#)
-  **Pranav Pundarik** ✓  
7.8M mins [Follow](#)
-  **Chandramauli maurya**  
4.4M mins [Follow](#)
-  **Tamanna Chaudhary**  
4.2M mins [Follow](#)
-  **Shailendra Tanwar** ✓  
4.5M mins [Follow](#)

# PHYSICSLIVE

Use code **PHYSICSLIVE** to get 10% OFF on Unacademy PLUS and learn from India's Top Faculties.

NEET UG subscription

PLUS **ICONIC\*\***

- ✓ India's Best Educators
- ✓ Interactive Live Classes
- ✓ Structured Courses & PDFs
- ✓ Live Tests & Quizzes
- × Personal Coach
- × Study Planner

6 months	<b>₹25,200</b>	>
No cost EMI	+10% OFF <del>₹4,667</del>	
12 months	<b>₹34,650</b>	>
No cost EMI	+10% OFF <del>₹3,208</del>	
24 months	<b>₹50,400</b>	>
No cost EMI	+10% OFF <del>₹2,333</del>	

[View all plans](#)

Awesome! **PHYSICSLIVE** code applied

# NEET

## Physics DPP

**DPP-8 Relative motion (River-Boat problems)**

**By PRATEEK JAIN SIR**

Q) A boat is moving with a velocity  $3\hat{i} + 4\hat{j}$  with respect to ground. The water in the river is moving with a velocity  $-3\hat{i} - 4\hat{j}$  with respect to ground. The relative velocity of the boat with respect to water is

(a)  $8\hat{j}$

(b)  $-6\hat{i} - 8\hat{j}$

(c)  $6\hat{i} + 8\hat{j}$

(d)  $6\hat{i}$

Join Unacademy PLUS Referral Code :

Physicslive

Ans. c

$$\vec{v}_B = 3\hat{i} + 4\hat{j}$$

$$\vec{v}_R = -3\hat{i} - 4\hat{j}$$

$$\vec{v}_{B/R} = \vec{v}_B - \vec{v}_R$$

$$= (3\hat{i} + 4\hat{j}) - (-3\hat{i} - 4\hat{j})$$

$$\vec{v}_{B/R} = 6\hat{i} + 8\hat{j}$$

Q) A boat is sent across a river with a velocity of 8 km/hr (w.r.t. ground). If the resultant velocity of boat is 10 km/hr, then velocity of the river is:

(a) 10 km/h

(c) 6 km/h

(b) 8 km/h


(d) 4 km/h

**Join Unacademy PLUS Referral Code :**

**Physicslive**

Ans. c





$$V = \sqrt{V_R^2 + V_B^2}$$

$$10 = \sqrt{V_R^2 + 8^2}$$

$$100 = V_R^2 + 8^2 \Rightarrow V_R^2 = 36$$

$$\boxed{V_R = 6 \text{ km/h}}$$


Q) A boat B is moving in upstream with velocity  $3\text{m/s}$  with respect to ground. An observer standing on boat observes that a swimmer S is crossing the river perpendicular to the direction of motion of boat. If river flow velocity is  $4\text{ m/s}$  and swimmer crosses the river of width  $100\text{m}$  in  $50\text{ sec}$ , then:

- (a) Velocity of swimmer w.r.t. ground is  $\sqrt{15}\text{ m/s}$
- (b) Drift of swimmer along river will be zero
- (c) Drift of swimmer along river will be  $150\text{ m}$
- (d) Velocity of swimmer .w.r.t ground is  $2\text{m/s}$

**Join Unacademy PLUS Referral Code :**

**Physicslive**

Ans. c



$$\vec{v}_R = 4 \text{ m/s} = 4\hat{j} \text{ m/s}$$

$$\vec{v}_B = -3\hat{j} \text{ m/s}$$

$$\vec{v}_{B/R} = -7 \text{ m/s } \hat{j} \quad (v_{B/R} = 7 \text{ m/s})$$

$$\vec{v}_{S/B} = v\hat{j} = \vec{v}_S - \vec{v}_B$$

$$v\hat{j} = \vec{v}_S - (-3\hat{j})$$

$$\Rightarrow \boxed{\vec{v}_S = -3\hat{j} + v\hat{j}}$$

$$\text{speed} = \frac{\text{dist.}}{\text{time}} \Rightarrow 50 = \frac{100}{\text{speed}} = \frac{100}{v}$$

$$v = 2 \text{ m/s}$$

$$\boxed{\vec{v}_S = -3\hat{j} + 2\hat{j}}$$

$$v_S = \sqrt{3^2 + 2^2}$$

$$\boxed{v_S = \sqrt{13} \text{ m/s}}$$

$$\text{drift of swimmer} = v_x \cdot t = 3 \times 50$$

$$\boxed{\text{drift} = 150 \text{ m.}}$$


Q) A river is flowing with velocity  $2\text{m/s}$ . A boat is moving downstream. Velocity of boat in still water is  $3\text{m/s}$ . A person standing on boat throws a ball vertically upwards w.r.t. himself with a velocity to  $10\text{m/s}$ . At the topmost point the velocity of ball w.r.t. man standing on boat, w.r.t. river and w.r.t. ground respectively are:

- (a)  $5, 3, 0\text{ m/s}$
- (b)  $0, 3, 5\text{ m/s}$
- (c)  $0, 5, 3\text{ m/s}$
- (d) None of these

**Join Unacademy PLUS Referral Code :**

**Physicslive**

Ans. b



$$V_{B/R} = 3 \text{ m/s} = \text{vel. of Boat w.r.t. River}$$

$$V_R = 2 \text{ m/s} = \text{vel. of River w.r.t. ground}$$


$$V_b - V_R = V_{B/R} \quad [V_{B/R} = \text{vel. of boat w.r.t. River}]$$

$$V_b - 2 = 3$$


$$V_b = 5 \text{ m/s}$$

↳ velocity of ball w.r.t. ground

$V_b$  = vel. of ball w.r.t. ground.



at topmost point velocity in vertical dir<sup>n</sup> = 0



w.r.t. ground

$$V_b = V_B = 5 \text{ m/s}$$

$$\text{w.r.t. River} = V_{b/R} = V_b - V_R = 5 - 2 = 3 \text{ m/s}$$

$$\text{w.r.t. Boat} = V_{b/B} = V_b - V_B = 0 \text{ m/s}$$

$$\therefore 0 \text{ m/s}, 3 \text{ m/s}, 5 \text{ m/s}$$

Q) At a harbor, a boat is standing and wind is blowing at a speed of  $\sqrt{2}$  m/s, due to which, the flag on the boat flutters along north-east. Now the boat enters into river, which is flowing with a velocity of 2m/s due north. The boat starts with zero velocity relative to the river and its constant acceleration relative to the river is  $0.2 \text{ m/s}^2$  due east. In which direction will the flag flutter at 10 seconds ?

- (a) South-east
- (b) South-west
- (c)  $30^\circ$  south of west
- (d) West

**Join Unacademy PLUS Referral Code :**

**Physicslive**



Ans. b

$$V_w = \sqrt{2} \text{ m/s (N-E)}$$

$$V_R = 2 \text{ m/s (N)}$$

$$u_{B/R} = 0 \text{ m/s}$$


$$u_B - V_R = -V_{B/R}$$

$$u_B = V_R = 2 \text{ m/s (N)}$$

$$u_B = 2 \text{ m/s (N)} \quad [\text{initial velocity of boat w.r.t. ground}]$$

$$a_{B/R} = 0.2 \text{ m/s}^2 \text{ (E)}$$

↳ [acceleration of boat w.r.t. river]




velocity of boat in 'E' at  $t = 10 \text{ s}$

$$V = u + at = 0 + (0.2) 10$$

$$(V_B)_{\text{in E}} = 2 \text{ m/s}$$

$$V_B = 2 \hat{i} + 2 \hat{j}$$

$$V_{w/\text{Boat}} = V_w - V_{\text{boat}} = -\hat{i} - \hat{j}$$



Q) A man crosses a river in a boat. If he cross the river in minimum time he takes 10 min with a drift 120m. If he crosses the river taking shortest path, he takes 12.5 min, find width of the river?


- (a) 50 m
- (b) 100 m
- (c) 200 m
- (d) 300 m

**Join Unacademy PLUS Referral Code :**


**Physicslive**

Ans. c

for min time,



for min shortest distance,



from case-1!

$$V_R = \frac{120}{10 \text{ min}} = 12 \text{ m/min}$$

$$V_R = 0.2 \text{ m/s}$$

and.

$$V_m = \frac{d}{t} = \frac{d}{10 \text{ min}} = \frac{d}{600 \text{ sec}} \quad \text{--- (1)}$$

from case-2

for shortest path

$$V_R = V_m \cos \theta \quad \text{--- (2)}$$

$$d = \frac{d}{V_m \sin \theta} \Rightarrow V_m \sin \theta = \frac{d}{12.5 \times 60} \quad \text{--- (3)}$$

$$\frac{(3)}{(1)} \Rightarrow \frac{V_m \sin \theta}{V_m} = \frac{d/12.5 \times 60}{d/10 \times 60}$$

$$\sin \theta = \frac{10}{12.5} = \frac{100}{125} = \frac{20}{25} = \frac{4}{5}$$

$$\sin \theta = \frac{4}{5}$$

$$\therefore \cos \theta = \frac{3}{5}$$

Put  $\cos \theta = \frac{3}{5}$  in eq<sup>n</sup> (2)

$$V_R = V_m \left(\frac{3}{5}\right)$$

$$V_m = \frac{5}{3} V_R = \frac{5}{3} \times 0.2$$

~~$$V_m = 0.33 \text{ m/s}$$~~

~~$$V_m = 0.8$$~~

$$V_m = \frac{1}{3} \text{ or } 0.33 \text{ m/s}$$

in eq<sup>n</sup> (1)

$$V_m = \frac{d}{600}$$

$$d = V_m \times 600$$

$$d = \frac{1}{3} \times 600$$

$$d = 200 \text{ m}$$

Q) A boatman finds that he can save 6s in crossing a river by the quickest path than by the shortest path. If the velocity of the boat and the river be, respectively, 17 m/s and 8 m/s, find the river width:

(a) 765 m

(c) 556 m


(b) 1000 m

(d) 816 m

**Join Unacademy PLUS Referral Code :**

**Physicslive**

Ans. a



for shortest path,  $8 = 17 \cos \theta$


$$\cos \theta = \frac{8}{17} \Rightarrow \sin \theta = \frac{15}{17}$$

$$v = 17 \sin \theta = 17 \times \frac{15}{17} = 15 \text{ m/s}$$

$$v = 15 \text{ m/s}$$

$$t_1 = \frac{d}{15} \text{ sec} \quad \text{--- (1)}$$

for min. time)



$$t_2 = \frac{d}{17} \text{ sec} \quad \text{--- (2)}$$

$$t_1 - t_2 = \frac{d}{15} - \frac{d}{17} = 6 \text{ sec}$$

$$\frac{17d - 15d}{15 \times 17} = 6$$

$$2d = 6 \times 15 \times 17$$

$$d = 3 \times 15 \times 17$$

$$d = 765 \text{ m}$$



Q) The width of river is 1 km. The velocity of boat is 5 km/hr. The boat covered the width of river with shortest will possible path in 15 min. Then the velocity of river stream is:

(a) 3 km/h

(b) 4 km/h


(c)  $\sqrt{29}$  km/h

(d)  $\sqrt{41}$  km/h

Join Unacademy PLUS Referral Code :

Physicslive

Ans. a



$$t = \frac{d}{5 \sin \theta} \Rightarrow \frac{15}{60} \text{ hr} = \frac{1 \text{ km}}{5 \text{ km/h} \sin \theta}$$

$$\sin \theta = \frac{4}{5} \Rightarrow \cos \theta = \frac{3}{5}$$

$$v_R = 5 \cos \theta$$

$$= 5 \times \frac{3}{5}$$

$$v_R = 3 \text{ km/h}$$

Q) The speed of a swimmer in still water is 20 m/s. The speed of river water is 10 m/s and due east. If he is standing on the south bank and wishes to cross the river along the shortest path the angle at which he should make his stroke w.r.t. north is given by :-

(a)  $45^\circ$  west

(b)  $30^\circ$  west



(c)  $0^\circ$

(d)  $60^\circ$  west

**Join Unacademy PLUS Referral Code :**

**Physicslive**

Ans. b



$$20 \sin \theta = 10$$

$$\sin \theta = \frac{1}{2}$$

$$\boxed{\theta = 30^\circ}$$

Q) A man can swim in still water at 4m/s. River is flowing at 2m/s. The angle with downstream at which he should swim to cross the river with minimum drift is:

(a)  $120^\circ$

(b)  $150^\circ$

(c)  $30^\circ$


(d)  $60^\circ$

Join Unacademy PLUS Referral Code :

Physicslive

Ans. a





min drift = zero.

for zero drift,

$$v_b \sin \theta = v_r$$

$$4 \sin \theta = 2$$

$$\sin \theta = \frac{1}{2}$$

$$\theta = 30^\circ$$

$$\alpha = 90 + \theta$$

$$\boxed{\alpha = 120^\circ}$$

angle of  $v_b$  from  $\phi$   
downstream.

Chalo Niklo