



| DPP – 9 (| Geometrical | Optics) |
|------------------|-------------|-----------------|
|------------------|-------------|-----------------|

Video Solution on Website:-

https://physicsaholics.com/home/courseDetails/67

Video Solution on YouTube:-


https://youtu.be/yg5OBl6wRi8

Written Solution on Website:-

https://physicsaholics.com/note/notesDetalis/68

Comprehension (Q1 to Q2)

A cylindrical tube filled with water ($\mu_w = 4/3$) is closed at its both ends by two thin silvered plano-convex lenses as shown in the figure. Refractive index of lenses L₁ and L₂ are 2.0 and 1.5 while their radii of curvature are 5 cm and 9 cm respectively. A point object is placed somewhere at a point O on the axis of cylindrical tube. It is found that the object and image coincide each other.



Q 1. The distance of object O from (a) lens L₁ is 10 cm (c) lens L₁ is 8 cm

(b) lens L_2 is 10 cm (d) lens L_2 is 8 cm

Q 2. If $\mu_1 = \mu_2 = \mu_w$ then image after two reflections (once from each) will coincide with object if distance of O from

| (a) L_1 is $9\sqrt{2}$ cm | >) | ∇ | (b) L_2 is $9\sqrt{2}$ cm |
|-----------------------------|-----|-------------------|-----------------------------|
| (c) L_1 is 9 cm | 50 | (d) L_2 is 9 cm | |

Q 3. The plane face of a plano-convex lens is silvered. If μ be the refractive index and R, the radius of curvature of curved surface, then the system will behave like a concave mirror of radius of curvature:

(a) m R (b)
$$\frac{R}{(\mu-1)}$$
 (c) $\frac{R^2}{\mu}$ (d) $\left[\frac{(\mu+1)}{(\mu-1)}\right]R$

Q 4. Two identical thin plano-convex glass lenses (refractive index = 1.5) each having radius of curvature of 20 cm are placed with their convex surfaces in contact at the center. The intervening space is filled with oil of refractive index 1.7. The focal length of the combination is:
(a) -25 cm
(b) -50 cm
(c) 50 cm
(d) -20 cm

Comprehension (Q5 to Q6)





Magnification (by a lens) of an object at distance 10 cm from it is -2. Now a second lens is placed exactly at the same position where first was kept and first lens is removed. The magnification by this lens is -3.

Q 5. Find magnification of image formed by combination of both lenses in contact. (Relative to combination):


(a) $-\frac{6}{11}$ (b) $\frac{6}{11}$ (c) $\frac{6}{13}$ (d) $-\frac{6}{13}$

- Q 6. What is the focal length of the combination when both lenses are in contact? (a) 60/17cm (b) 5/17cm (c) 12/7 (d) 13/9cm
- Q 7. An object is placed in front of an equiconvex lens with refractive index 1.5 and radius of curvature 30 cm. Surface which is away from object is polished. Find the distance of object from lens so that object and image coincide:


 (a)10 cm
 (b)20 cm
 (c)15 cm
 (d)40 cm
- Q 8. Two planoconvex lenses each of focal length 10 cm & refractive index 3/2 are placed as shown. In the space left, water ($\mu = 4/3$) is filled. The whole arrangement is in air. The optical power of the system is (in diopters)

(a)
$$6.67$$
 (b) -6.67 (c) 33.3 (d) 20


- Q 9. One of the curved surfaces of an equiconvex lens of radius of curvature 20 cm and power + 4 D is silvered. The power of the system is-(a) + 8 D (b) -10 D (c) - 18 D (d) + 14 D
- Q 10. A thin, symmetric double-convex lens of power P is cut into three parts A, B and C as shown. The power of –




Q 11. A plane glass plate behaves as a lens when made as shown in the figure -








- (a) For $\mu_1 = \mu_2$, it will behave as a glass slab
- (b) For $\mu_2 > \mu_1$, it will behave as a divergent lens
- (c) For $\mu_2 < \mu_1$, it will behave as a converging lens
- (d) For any relations between μ_1 and μ_2 it is a lens
- Q 12. A thin plano-convex lens of focal length 15 cm has its plane side silvered. An object is placed on the principal axis of the lens at a distance 20 cm from it as shown. The position of the image is



Q 13. The figure shows an arrangement of a equi-convex lens and a concave mirror. A point object O is placed on the principal axis at a distance 40 cm from the lens such that the final image is also formed at the position of the object. If the radius of curvature of the concave mirror is 80 cm, find the distance d. The focal length of the lens is 20 cm.



Q 14. A converging lens of focal length 15 cm and a converging mirror of focal length 20cm are placed with their principal axis coinciding. A point source S is placed on the principal axis at a distance of 12 cm from the lens as shown in the figure. It is found that the final beam comes out parallel to the principal axis. Find the separation between the mirror and the lens.

