



## DPP – 1 (Thermometry)

Video Solution on Website:-

<https://physicsaholics.com/home/courseDetails/56>


Video Solution on YouTube:-

[https://youtu.be/AtT\\_Mbelk1g](https://youtu.be/AtT_Mbelk1g)

Written Solution on Website:-

<https://physicsaholics.com/note/notesDetails/31>

Q 1. The graph AB shown in figure is a plot of temperature of a body in degree Celsius and degree Fahrenheit. Then –



- (A) Slope of line AB is  $9/5$   
(C) Slope of line AB is  $1/9$   
(B) Slope of line AB is  $5/9$   
(D) Slope of line AB is  $3/9$

Q 2. Oxygen boils at  $-183^{\circ}\text{C}$ . This temperature on Fahrenheit scale is –

- (A)  $-215^{\circ}$   
(C)  $-297^{\circ}$   
(B)  $-261^{\circ}$   
(D)  $-329^{\circ}$

Q 3. The temperature of a body on Kelvin scale is found to be  $x\text{ K}$ . When it is measured by Fahrenheit thermometer, it is found to be  $x^{\circ}\text{F}$ , then the value of  $x$  is-

- (A) 40  
(C) 574.25  
(B) 313  
(D) 301.25

Q 4. Ice point and steam point on a particular scale reads  $10^{\circ}$  and  $80^{\circ}$  respectively. The temperature on  $^{\circ}\text{F}$  scale when temperature on new scale is  $45^{\circ}$  is -

- (A)  $50^{\circ}\text{ F}$   
(C)  $122^{\circ}\text{F}$   
(B)  $112^{\circ}\text{F}$   
(D)  $138^{\circ}\text{F}$

Q 5. The steam point and ice point of a mercury thermometer are marked as  $80^{\circ}$  and  $10^{\circ}$ . At what temperature on centigrade scale the reading of this thermometer will be  $59^{\circ}$  ?

- (A)  $70^{\circ}\text{ C}$   
(C)  $80^{\circ}\text{ C}$   
(B)  $60^{\circ}\text{ C}$   
(D) None of these

Q 6. A difference of temperature of  $25^{\circ}\text{C}$  is equivalent to a difference of :-

- (A)  $45^{\circ}\text{F}$   
(C)  $32^{\circ}\text{F}$   
(B)  $72^{\circ}\text{F}$   
(D)  $25^{\circ}\text{F}$

Q 7. At what temperature, the Fahrenheit and Celsius scales will give numerically equal (but opposite in sign) values : -


- (A)  $-40^{\circ}\text{F}$  and  $40^{\circ}\text{C}$   
(B)  $11.43^{\circ}\text{ F}$  and  $-11.43^{\circ}\text{C}$



# Physicsaholics

(C)  $-11.43^{\circ}\text{F}$  and  $+11.43^{\circ}\text{C}$     (D)  $+40^{\circ}\text{F}$  and  $-40^{\circ}\text{C}$

- Q 8. Which of the curves in figure represents the relation between Celsius and Fahrenheit temperature-




- (A) 1    (B) 2    (C) 3    (D) 4

- Q 9. Two thermometers X and Y have ice point marked at  $15^{\circ}$  and  $25^{\circ}$  and steam points marked as  $75^{\circ}$  and  $125^{\circ}$  respectively. When thermometer X measures the temperature of a bath as  $60^{\circ}$  on it, what would thermometer Y read when it is used to measure the temperature of the same bath ?

- (A)  $60^{\circ}$     (B)  $75^{\circ}$   
(C)  $100^{\circ}$     (D)  $90^{\circ}$

- Q 10. The graph shown in the figure is a plot of the temperature of a body in  $^{\circ}\text{C}$  and  $^{\circ}\text{F}$ . The value of  $\sin \Theta =$



- (A)  $\frac{5}{\sqrt{106}}$   
(B)  $\frac{10}{\sqrt{106}}$   
(C)  $\frac{15}{\sqrt{106}}$   
(D)  $\frac{20}{\sqrt{106}}$

## Answer Key

<b>Q.1 b</b>	<b>Q.2 c</b>	<b>Q.3 c</b>	<b>Q.4 c</b>	<b>Q.5 a</b>
<b>Q.6 a</b>	<b>Q.7 b</b>	<b>Q.8 a</b>	<b>Q.9 c</b>	<b>Q.10 a</b>



## NEET UG subscription

PLUS    ICONIC \*

- ✓ India's Best Educators
- ✓ Interactive Live Classes
- ✓ Structured Courses & PDFs
- ✓ Live Tests & Quizzes
- ✗ Personal Coach
- ✗ Study Planner

24 months                    ₹2,100/mo                    >  
No cost EMI                +10% OFF ₹50,400

18 months                    ₹2,363/mo                    >  
No cost EMI                +10% OFF ₹42,525

12 months                    ₹2,888/mo                    >  
No cost EMI                +10% OFF ₹34,650

6 months                    ₹4,200/mo                    >  
No cost EMI                +10% OFF ₹25,200

To be paid as a one-time payment

View all plans



Awesome! PHYSICSLIVE code applied



## NEET UG subscription

PLUS    ICONIC \*

- ✓ India's Best Educators
- ✓ Interactive Live Classes
- ✓ Structured Courses & PDFs
- ✓ Live Tests & Quizzes
- ✗ Personal Coach
- ✗ Study Planner

24 months                    ₹2,100/mo                    >  
No cost EMI                +10% OFF ₹50,400

18 months                    ₹2,363/mo                    >  
No cost EMI                +10% OFF ₹42,525

12 months                    ₹2,888/mo                    >  
No cost EMI                +10% OFF ₹34,650

6 months                    ₹4,200/mo                    >  
No cost EMI                +10% OFF ₹25,200

To be paid as a one-time payment

View all plans



Awesome! PHYSICSLIVE code applied




# PHYSICSLIVE

Use code **PHYSICSLIVE** to get 10% OFF on  
Unacademy PLUS and learn from India's Top  
Faculties.

# **NEET & JEE Main Physics DPP - Solution**

**DPP- Thermometry  
By Physicsaholics Team**

Solution: 1



Ans. b

Solution: 2

$$\frac{C - 0}{100 - 0} = \frac{F - 32}{212 - 32}$$
$$\frac{-183}{100} = \frac{F - 32}{180}$$
$$F = -\frac{9}{5} \times 183 + 32 = 297.4$$

Ans. c

Solution: 3

$$\frac{K - 273}{373 - 273} = \frac{F - 32}{212 - 32}$$

$$\frac{x - 273}{100} = \frac{x - 32}{180}$$

$$9(x - 273) = 5(x - 32)$$

$$9x - 2457 = 5x - 160$$

$$4x = 2297$$

$$x = \frac{2297}{4} = 574.25$$

Ans. c

Solution: 4

$$\frac{x - 10}{80 - 10} = \frac{F - 32}{122 - 32}$$
$$\frac{45 - 10}{80 - 10} = \frac{F - 32}{180}$$
$$\frac{35}{70} = \frac{F - 32}{180}$$
$$90 + 32 = F$$
$$F = 122$$

Ans. c

Solution: 5

$$\frac{T-10}{80-10} = \frac{T_c}{100} ; \{ T = 59^\circ \}$$

$$\frac{59-10}{70} = \frac{T_c}{100} \Rightarrow \frac{49}{70} \times 100 = T_c$$

$$T_c = 70^\circ C$$

Ans. a

Solution: 6

$$\Delta C = \frac{5}{9} \Delta F$$

$$25 \times \frac{9}{5} = \Delta F \Rightarrow \Delta F = 45^{\circ}\text{C}$$

Ans. a

Solution: 7

$$\begin{aligned}C &= \frac{5}{9}(F - 32) \Rightarrow C = \frac{5}{9}(-C - 32) \\&\Rightarrow C = -5C - 160 \Rightarrow 14C = -160 \\&\Rightarrow C = -11.43^{\circ}\text{C}\end{aligned}$$

Ans. b

Solution: 8

$$\text{Sol [A]} \frac{C}{5} = \frac{F - 32}{9} \Rightarrow C = \left(\frac{5}{9}\right)F - \frac{20}{3} \text{ Hence graph}$$

between  $^{\circ}\text{C}$  and  $^{\circ}\text{F}$  will be a straight line with positive slope and negative intercept.

Ans. a

Solution: 9

Sol.[C]


$$\frac{60 - 15}{75 - 15} = \frac{Y - 25}{125 - 25}$$

$$\frac{45}{60} = \frac{Y - 25}{100} \Rightarrow Y = \frac{100}{60} \times 45 + 25 = 100^\circ$$

Ans. c

Solution: 10

$$\frac{C}{100} = \frac{F - 32}{180} \Rightarrow C = \frac{5F}{9} - 32 \times \frac{5}{9}$$



$$y = mx \pm c, \quad \tan \theta = m = \frac{5}{9}$$
$$\sin \theta = \frac{5}{\sqrt{106}}$$

Ans. a

**For Video Solution of this DPP, Click on below link**

**Video Solution  
on Website:-**

<https://physicsaholics.com/home/courseDetails/56>

**Video Solution  
on YouTube:-**

[https://youtu.be/AtT\\_Mbelk1g](https://youtu.be/AtT_Mbelk1g)

**Written Solution  
on Website:-**

<https://physicsaholics.com/note/notesDetais/31>

SUBSCRIBE



[@Physicsaholics](#)

[@Physicsaholics\\_prateek](#)

[@NEET\\_Physics](#)

[@IITJEE\\_Physics](#)

[physicsaholics.com](#)

[Unacademy](#)



CLICK

chalon Niklo