



Video Solution on Website:-

<https://physicsaholics.com/home/courseDetails/90>

Video Solution on YouTube:-

<https://youtu.be/AeVBWqGL9EM>

Written Solution on Website:-

<https://physicsaholics.com/note/notesDetails/30>

- Q 1. In a damped oscillation with damping constant b . The time taken for amplitude of oscillation to drop to half of its initial value?
- (a) $\frac{b}{m} \ln 2$ (b) $\frac{b}{2m} \ln 2$
(c) $\frac{m}{b} \ln 2$ (d) $\frac{2m}{b} \ln 2$
- Q 2. A damped harmonic oscillator has a frequency of 5 oscillations per second. The amplitude drops to half its value for every 10 oscillations. The time it will take to drop to $\frac{1}{1000}$ of the original amplitude is close to :-
- (a) 100 s (b) 20 s
(c) 10 s (d) 50 s
- Q 3. The amplitude of damped oscillation decreases to .9 times to its original magnitude in 5 sec. In another 10 sec it will decrease to α times its original value, where α is
- (a) 0.81 (b) 0.729
(c) 0.6 (d) 0.7
- Q 4. A block of mass 2 kg is connected to a spring of stiffness 8N/m. System is allowed to oscillate under a damping force $F = 0.23 V$ where V is velocity. Time required to decrease amplitude to half its initial value is
- (a) 0.693 sec (b) 12 sec
(c) 0.8 sec (d) 14.3 sec
- Q 5. Resonance is special case of
- (a) Damped oscillation (b) Forced oscillation
(c) Natural oscillation (d) Both (a) & (c)
- Q 6. In forced oscillation if we increase frequency from very small value keeping amplitude of driving force constant, amplitude of motion of particle
- (a) Increases (b) Decreases
(c) First increases then decreases (d) First decreases then increases
- Q 7. In case of damped oscillation frequency of oscillation is
- (a) Greater than natural frequency
(b) Less than natural frequency
(c) Equal to natural frequency
(d) Both (a) & (c)



- Q 8. Frequency of forced oscillation is equal to
(a) Frequency of driving force
(b) Natural frequency
(c) Difference in natural frequency and frequency of driving force
(d) Mean of natural frequency and frequency of driving force
- Q 9. What is the effect of increasing damping in resonance?
(a) decrease slightly the value of resonance frequency.
(b) reduce the maximum amplitude of an oscillator.
(c) The shape of the curve of resonance becomes broad.
(d) All of these
- Q 10. Which of the following equation represents damped oscillation
(a) $\frac{d^2x}{dt^2} + \frac{dx}{dt} + \frac{kx}{m} = 0$
(b) $\frac{d^2x}{dt^2} = -kx$
(c) $\frac{d^2x}{dt^2} - kx + \frac{dx}{dt} = 0$
(d) $\frac{d^2x}{dt^2} = -kx + f_0 \sin \omega_0 t$
- Q 11. For sharper amplitude vs angular frequency of driving force graph, damping constant should be
(a) High
(b) Low
(c) Does not depend on damping constant
(d) None of these
- Q 12. The forced harmonic have equal displacement amplitude at frequencies 400/sec and 600/sec, then resonance frequency is (damping constant is very small)
(a) 500/sec
(b) 510/sec
(c) 490/sec
(d) 520/sec

Answer Key

Q.1 d	Q.2 b	Q.3 b	Q.4 b	Q.5 b
Q.6 c	Q.7 b	Q.8 a	Q.9 d	Q.10 a
Q.11 b	Q.12 b			


PLUS **ICONIC****

- ✓ India's Best Educators
- ✓ Interactive Live Classes
- ✓ Structured Courses & PDFs
- ✓ Live Tests & Quizzes
- ✗ Personal Coach
- ✗ Study Planner

24 months	₹2,333/mo	>
No cost EMI	₹56,000	
18 months	₹2,625/mo	>
No cost EMI	₹47,250	
12 months	₹3,208/mo	>
No cost EMI	₹38,500	
6 months	₹4,667/mo	>
No cost EMI	₹28,000	

To be paid as a one-time payment

[View all plans](#)

 Add a referral code APPLY

PHYSICSLIVE


PLUS **ICONIC****

- ✓ India's Best Educators
- ✓ Interactive Live Classes
- ✓ Structured Courses & PDFs
- ✓ Live Tests & Quizzes
- ✗ Personal Coach
- ✗ Study Planner

24 months	₹2,100/mo	>
No cost EMI	+10% OFF ₹50,400	
18 months	₹2,363/mo	>
No cost EMI	+10% OFF ₹42,525	
12 months	₹2,888/mo	>
No cost EMI	+10% OFF ₹34,650	
6 months	₹4,200/mo	>
No cost EMI	+10% OFF ₹25,200	

To be paid as a one-time payment

[View all plans](#)

 Awesome! **PHYSICSLIVE** code applied ✗

Use code **PHYSICSLIVE** to get 10% OFF on Unacademy PLUS.

Physics DPP- Solution

**DPP- 5 S.H.M. : Forced And Damping Oscillation,
Resonance**

By Physicsaholics Team

Q1) In a damped oscillation with damping constant b . The time taken for amplitude of oscillation to drop to half of its initial value?

(a) $\frac{b}{m} \ln 2$

(b) $\frac{b}{2m} \ln 2$

(c) $\frac{m}{b} \ln 2$

(d) $\frac{2m}{b} \ln 2$

$$A = A_0 e^{-bt/2m}$$

$$\frac{A_0}{2} = A_0 e^{-bt/2m}$$

$$\ln 2 = \frac{bt}{2m}$$

$$\star t_{1/2} = \frac{2m}{b} \ln 2$$

Q2) A damped harmonic oscillator has a frequency of 5 oscillations per second. The amplitude drops to half its value for every 10 oscillations. The time it will take to drop to $\frac{1}{1000}$ of the original amplitude is close to :-

(a) 100 s

(c) 10 s

~~(b) 20 s~~

(d) 50 s

$$f = 5$$

$$t_{1/2} = 10 \text{ oscillation} \\ = 2 \text{ Sec}$$

$$A = A_0 \left(\frac{1}{2}\right)^n \rightarrow n \text{ is no of half life } n = \frac{t}{t_{1/2}}$$

$$\frac{A_0}{1000} = A_0 \left(\frac{1}{2}\right)^{t/2}$$

$$\log 1000 = \frac{t}{2} \log 2$$

$$t = \frac{3}{.301} \times 2 \approx 20 \text{ Sec}$$

Q3) The amplitude of damped oscillation decreases to .9 times to its original magnitude in 5 sec. In another 10 sec it will decrease to α times its original value, where α is

$$t_d = 5 \text{ Sec}$$

$$A = A_0 (.9)^n \rightarrow \text{where } n \text{ is no of } .9 \text{ life}$$

(a) 0.81

(b) 0.729 ✓

(c) 0.6

(d) 0.7

$$\begin{aligned} A &= A_0 (.9)^{\frac{15}{5}} \\ &= A_0 (.9)^3 \\ &= .729 A_0 \end{aligned}$$

Q4) A block of mass 2 kg is connected to a spring of stiffness 8N/m. System is allowed to oscillate under a damping force $F = 0.23 V$ where V is velocity. Time required to decrease amplitude to half its initial value is

$$A = A_0 e^{-bt/2m} \quad b = 23$$

$$\frac{A}{A_0} = \frac{1}{2} = e^{-bt/2m}$$

$$\ln 2 = \frac{bt}{2m}$$

$$t = \frac{2m}{b} \ln 2 = \frac{2 \times 2}{23} \times 0.693$$

$$= 12 \text{ sec}$$

(a) 0.693 sec

~~(b) 12 sec~~

(c) 0.8 sec

(d) 14.3 sec

Q5) Resonance is special case of

(a) Damped oscillation


(c) Natural oscillation

(b) Forced oscillation

(d) Both (a) & (c)

Q6) In forced oscillation if we increase frequency from very small value keeping amplitude of driving force constant, amplitude of motion of particle

- (a) Increases
- (b) Decreases
- (c) First increases then decreases
- (d) First decreases then increases



Q7) In case of damped oscillation frequency of oscillation is

$$\omega' = \sqrt{\omega_0^2 - \left(\frac{b}{2m}\right)^2}$$

natural frequency

- (a) Greater than natural frequency
- ~~(b) Less than natural frequency~~
- (c) Equal to natural frequency
- (d) Both (a) & (c)

Q8) Frequency of forced oscillation is equal to

$$F_0 \sin \omega t$$

↑ phase

$$x = A \sin(\omega t + \phi)$$

- (a) Frequency of driving force
- (b) Natural frequency
- (c) Difference in natural frequency and frequency of driving force
- (d) Mean of natural frequency and frequency of driving force


Q9) What is the effect of increasing damping in resonance?

resonance frequency $\omega' = \sqrt{\omega_0^2 - (b/2m)^2}$

- (a) decrease slightly the value of resonance frequency.
- (b) reduce the maximum amplitude of an oscillator.
- (c) The shape of the curve of resonance becomes broad.
- (d) ~~All of these~~

$$Q = \frac{1}{R} \sqrt{\frac{L}{C}}$$

$$A = \frac{F_0/m}{\sqrt{(\omega^2 - \omega_0^2)^2 + (b\omega/m)^2}}$$



Q10) Which of the following equation represents damped oscillation

$$\underbrace{-kx - bV}_{F_{\text{net}}} = ma$$

$$m \frac{d^2x}{dt^2} + b \frac{dx}{dt} + kx = 0$$

$$\frac{d^2x}{dt^2} + \frac{b}{m} \frac{dx}{dt} + \frac{kx}{m} = 0$$


~~(a) $\frac{d^2x}{dt^2} + \frac{dx}{dt} + \frac{kx}{m} = 0$~~

(b) $\frac{d^2x}{dt^2} = -kx$

(c) $\frac{d^2x}{dt^2} - kx + \frac{dx}{dt} = 0$

(d) $\frac{d^2x}{dt^2} = -kx + f_0 \sin \omega_0 t$

Q11) For sharper amplitude vs angular frequency of driving force graph, damping constant should be



$$\text{Sharpness} = \frac{1}{R} \sqrt{\frac{L}{C}}$$


- (a) High
- (b) Low
- (c) Does not depend on damping constant
- (d) None of these

motion

Q12) The forced harmonic have equal displacement amplitude at frequencies 400/sec and 600/sec, then resonance frequency is (damping constant is very small)

$$A = \frac{F_0/m}{\sqrt{(\omega^2 - \omega_0^2)^2 + \left(\frac{b\omega}{m}\right)^2}}$$

$$(\omega^2 - \omega_0^2)^2 + \left(\frac{b\omega}{m}\right)^2 = C$$



(a) 500/sec

(b) 510/sec

(c) 490/sec

(d) 520/sec

$$\omega^4 + \omega_0^4 - 2\omega^2\omega_0^2 + \frac{b^2\omega^2}{m^2} - C = 0$$

$$\omega^4 - \omega^2\left(2\omega_0^2 - \frac{b^2}{m^2}\right) + (\omega_0^4 - C) = 0$$

$$\omega_1^2 + \omega_2^2 = 2\omega_0^2 - \frac{b^2}{m^2} \approx 2\omega_0^2$$

$$\omega_0 = \sqrt{\frac{\omega_1^2 + \omega_2^2}{2}} = \sqrt{\frac{(400)^2 + (600)^2}{2}} \approx 510/\text{sec}$$

For Video Solution of this DPP, Click on below link

Video Solution
on Website:-

<https://physicsaholics.com/home/courseDetails/90>

Video Solution
on YouTube:-

<https://youtu.be/AeVBWqGL9EM>

Written Solution
on Website:-

<https://physicsaholics.com/note/notesDetails/30>

 **SUBSCRIBE**



[@Physicsaholics](#)

[@Physicsaholics_prateek](#)

[@NEET_Physics](#)
[@IITJEE_Physics](#)

[physicsaholics.com](#)

[Unacademy](#)



CLICK

Chalo Niklo